

### Advanced Simulation: A Critical Tool for Future Nuclear Fuel Cycles

# **Advance Fuel Matrix For Next Generation Reactors**

December 14 - 16, 2005

John Abrefah

Pacific Northwest National Laboratory






# Computational Studies of Nuclear Power System

### **Power Plant Core Components**

- ►Structural Mechanics
- **▶**Neutronics
- ► Thermal Hydraulics
- **▶**Fuel Behavior
  - Theoretical Estimates
  - Validation





### **Advance Fuel Matrices**

### **Fuel Forms**

- ▶Oxides, Nitrides & Carbides
- ►Mix-Oxides (MOX)
- **▶**Composites
- ►Inert Matrix (ZrO-MgO + Pu)
- **▶**TRISO
- **►**Metals










- Gas-Cooled Fast Reactor
  - Helium Coolant
  - 850°C; 288 MWe
  - Direct Gas Turbine
  - Waste Minimization & Effective Use of U Resources

# Gas-Cooled Fast Reactor Generator Generator Turbine Recuperator Compressor Heat Sink Control Rods

- Potential to Operate at High Temperatures
- Excellent Retention of Fission Products
- Composite Ceramic Fuel
- Advanced Fuel Particles
- Ceramic-Clad Elements of Actinide Compounds



- Very High Temperature Reactor (VHTR)
  - Helium Coolant
  - 1000°C; 600 MWth
  - Waste Minimization & Effective Use of U Resources




- Potential to Operate at High Temperatures
- Excellent Retention of Fission Products
- TRISO
- Advanced Fuel Particles
- Ceramic Clad Elements of Actinide Compounds



- Sodium-Cooled Fast Reactor
  - 550°C; 500 to 1500 MWe
  - Efficient Management of Actinides and Conversion of Fertile Uranium


- Uranium-Plutonium-Minor Actinide-Zirconium Metal Alloy Fuel
- Composite Ceramic Fuel
- MOX






- Supercritical-Water Cooled Reactor
  - 510°C; 1700 MWe
  - Thermal or Fast Spectrum
  - Actinide Management

- Uranium Oxide
- Composite Ceramic Fuel
- MOX






- ► Molten Salt Reactor
  - 700°C; 1000 MWe
  - Efficient Burning of Plutonium and Minor Actinides



- Liquid Mixture of Sodium, Zirconium, and Uranium Fluorides
- Avoid Need for Fuel Fabrication



- Lead-Cooled Fast Reactor
  - Pb or Pb/Bi Coolant
  - 550°C; 300 to 400 MWe
  - Efficient Conversion of Fertile **Uranium and Management of Actinides**
  - Waste Minimization



- Metals or Nitride Fuels
- Long Refueling Interval (15 20 yrs)



### Traditional Fuel Development Schemes

- Fabrication of Initial Batch of Fuel
- Reactor Irradiation Testing
- ▶ PIE to Analyze for Fuel Performance
- Acceptance Criteria for Initial Batch
- Fabrication of Larger Sample Batch for Irradiation testing
- Lead Assembly Testing
- Approach is Lengthy and Costly (>15 yrs)
- Very Empirical



# Elements of Advance Fuel Behavior Modeling

- Irradiation Damage
- ► Fission Gas Build Up and Release
- ► Interfacial Effects
- Thermomechanical Stresses
- ► Thermophysical Properties
- Chemical Effects
- ► Solid Fission Products



### **Summary- Modeling Benefits**

- Flexibility to design specific fuel matrix
- Reduction in fuel development cost
  - Elimination of multiple testing
  - Design of fundamental experiments
- Development and fabrication of higher performance fuel matrix (e.g. higher burnup)
- Verification of fuel models
  - Enhancement in understanding of physical processes
  - Evaluation of uncertainties and sensitivities.
- Advance methods for modeling complex physical and chemical effects



### **Summary - Modeling Benefits**

- ► Inherent safety
- High efficiency Durability and lifecycle performance
- Minimal rad waste using advance separation processes and waste forms
- High degree of proliferation resistant fuel matrix
- Physical security